

Chore-Tronics® Mobile Server Installation & Operator's Instruction Manual



Contact your nearby Chore-Time distributor or representative for additional parts and information.

Chore-Time Group A division of CTB, Inc. PO Box 2000 Milford, Indiana 46542-2000 USA Phone (574) 658-4101 Fax (877) 730-8825 E-mail: poultry@choretime.com Internet: www.choretimepoultry.com

Limited Warranty

LIMITED WARRANTY

Chore-Time Group, a division of CTB, Inc. ("Chore-Time") warrants the new CHORE-TRONICS[®] Mobile Server manufactured by Chore-Time to be free from defects in material or workmanship under normal usage and conditions, for One (1) year from the date of installation by the original purchaser ("Warranty"). Chore-Time provides for an extension of the aforementioned Warranty period ("Extended Warranty Period") with respect to certain Product parts. If such a defect is determined by Chore-Time to exist within the applicable period, Chore-Time will, at its option, (a) repair the Product or Component Part free of charge, F.O.B. the factory of manufacture or (b) replace the Product or Component Part free of charge, F.O.B. the factory of manufacture. This Warranty is not transferable, and applies only to the original purchaser of the Product.

CONDITIONS AND LIMITATIONS

THIS WARRANTY CONSTITUTES CHORE-TIME'S ENTIRE AND SOLE WARRANTY AND CHORE-TIME EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES, INCLUDING, BUT NOT LIMITED TO, EXPRESS AND IMPLIED WARRANTIES, INCLUDING, WIHTOUT LIMITATION, WARRANTIES AS TO MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSES. CHORE-TIME shall not be liable for any direct, indirect, incidental, consequential or special damages which any purchaser may suffer or claim to suffer as a result of any defect in the Product. Consequential or Special Damages as used herein include, but are not limited to, lost or damaged products or goods, costs of transportation, lost sales, lost orders, lost income, increased overhead, labor and incidental costs, and operational inefficiencies. Some jurisdictions prohibit limitations on implied warranties and/or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the original purchaser specific legal rights. You may also have other rights based upon your specific jurisdiction.

Compliance with federal, state and local rules which apply to the location, installation and use of the Product are the responsibility of the original purchaser, and CHORE-TIME shall not be liable for any damages which may result from non-compliance with such rules.

The following circumstances shall render this Warranty void:

- · Modifications made to the Product not specifically delineated in the Product manual.
- Product not installed and/or operated in accordance with the instructions published by the CHORE-TIME.
- · All components of the Product are not original equipment supplied by CHORE-TIME.
- · Product was not purchased from and/or installed by a CHORE-TIME authorized distributor or certified representative.
- · Product experienced malfunction or failure resulting from misuse, abuse, mismanagement, negligence, alteration, accident, or lack of proper maintenance, or from lightning strikes, electrical power surges or interruption of electricity.
- Product experienced corrosion, material deterioration and/or equipment malfunction caused by or consistent with the application of chemicals, minerals, sediments or other foreign elements.
- Product was used for any purpose other than for the care of poultry and livestock.

The Warranty and Extended Warranty may only be modified in writing by an officer of CHORE-TIME. CHORE-TIME shall have no obligation or responsibility for any representations or warranties made by or on behalf of any distributor, dealer, agent or certified representative.

Effective: April 2014

Contents

Торіс	Page
Safety and General Information	3
Follow Safety Instructions	3
Decal Descriptions	3
DANGER: Moving Parts	3
DANGER: Electrical Hazard	3
General Information	4
Specifications	4
Setup	5
Registering a new Mobile Account	5
How to setup the Mobile server, Routers and Mobile App	6
Connecting to the Mobile Server Web interface and how to add CT3 controls	8
Testing the connection to the Mobile App to the Server	9
Registering the Mobile server with a Smart phone	10
Adding the Chore-Tronics® 3 (CT3) Controls	11
Navigation from Screen to Screen.	11
Wiring	12
Wireless Radios (CT3 and other Chore-Tronics Controls) Wiring	
Ethernet Cat 5e-6 (CT3 and other Chore-Tronics Controls) Wiring	13
Parts Listing	14

Safety and General Information

Caution, Warning and Danger Decals have been placed on the equipment to warn of potentially dangerous situations. Care should be taken to keep this information intact and easy to read at all times. Replace missing or damaged safety decals immediately.

Safety–Alert Symbol



This is a safety–alert symbol. When you see this symbol on your equipment, be alert to the potential for personal injury. This equipment is designed to be installed and operated as safely as possible...however, hazards do exist.

Understanding Signal Words

Signal words are used in conjunction with the safety-alert symbol to identify the severity of the warning.



DANGER indicates an imminently hazardous situation which, if not avoided, **WILL** result in death or serious injury.



WARNING indicates a potentially hazardous situation which, if not avoided, **COULD** result in death or serious injury.



CAUTION indicates a hazardous situation which, if not avoided, MAY result in minor or moderate injury.

Follow Safety Instructions

Carefully read all safety messages in this manual and on your equipment safety signs. Follow recommended precautions and safe operating practices.

Keep safety signs in good condition. Replace missing or damaged safety signs.

Decal Descriptions

DANGER: Electrical Hazard

Disconnect electrical power before inspecting or servicing equipment unless maintenance instructions specifically state otherwise.

Ground all electrical equipment for safety.

All electrical wiring must be done by a qualified electrician in accordance with local and national electric codes.

Ground all non-current carrying metal parts to guard against electrical shock.

Electrical disconnects and over current protection are not supplied with the equipment.



General Information

The Chore-Time Chore-Tronics[®] **Mobile Server** is designed to connect a mobile device to a Chore-Tronics[®] Control to allow access to current conditions, and also allow changes to be made to control settings from a remote location. Using the equipment for purposes other than specified in this manual may cause personal injury and/or damage to the equipment.

Specifications

Supply Voltage: 85-264 Vac 50-60hz

- 1 Standard Ethernet Port
- 1 Standard USB Port

Mounting Instructions

If mounting to a wall, use screws (not included) in the mounting holes in the back of the Plastic Box.

Note: Make sure to mount close to a power source and leave room for the USB and Ethernet cables to be plugged in.



Figure 1.Mounting

Setup

Registering a new Mobile Account

Before starting, users should have an active email address, username, password, and desired name. Additionally, the user should have on hand the GUID associated with the mobile server. Refer to Figure 8. on page 8.

Note: Username must have 8 characters. The password must have 8 and at least 1 must be capital letter.

1. Enter this link in your web browser. https://authenticationserverapp.azurewebsites.net/Account/Login 2. Click on **Register as a new user?**

	🎪 返 Suggested Sites 🔻 🏹 Voltage Divider Calculator	
		Log in.
Lo	g in.	Password
Userr	name	Cog in
Pass	word	Register as a new user? Forgot your password?
	Remember me?	
	Log in	
Regis	ter as a new user?	
Forgo	t your password?	

3. Enter your account information.

The Mobile server serial number or GUID is located inside the Mobile Server enclosure.

4. Click on Verify GUID. A green check will appear if correct.

legister.		unenucauonserverapp.azurewebsites.het/Account/Register	Kegister - AuthenticationSe X
reate a new account.		· [] { Voltage Divider Calculator	
Email	xxxxxxx@mail.co	Register.	
Username	johndow1	Email	xxxxxxx@mail.co
Full Name(Optional)	John Dow	Username	johndow1
Password	•••••	Full Name(Optional)	John Dow
Confirm password	••••••	Confirm password	••••••
Mobile Server Serial	b84ec454-ffac-4994-8003-1ac569013da2	Mobile Server Serial Number	b84ec454-ffac-4994-8003-1ac569013da2
Verify GUID		Verify GUID	Register
5			

Figure 3. Mobile Server Serial Number

5. You will be redirected to the Manage your Account screen.



Figure 4.Manage your Account Screen

Connecting to the Mobile Server Web interface and how to add CT3 controls

- 1. Connect your PC or smart phone to the local router via Ethernet or WIFI.
- 2. Enter the IP of the Mobile Server Web interface into your internet browser. xxx.xxx.xxx.8080 Example IP Address: 192.168.002.019:8080



Figure 5.Connecting to the Mobile Server Web Interface



The Web interface should open.

3. Scroll down to the Houses area. In this

example two Houses have already been added. To add the next house go to the Add House and enter the IP address of the CT3 and House number. Then Select Submit.

	Cho	re-Tronics Mob	ile Server Support			House	5				
Disabled	5 Sec	10 Sec 3	0 Sec 1 Min 51	Min	House Name	IP Address	State	Delete			
Disabled	0 000.	10 000.			House 1	192.168.1.30	Connected				
		System Inf	ormation		House 2	100 169 1 100	Connected				
obile Sen	er Version		2.0.0.1061		House 2	192.100.1.130	Connected	•			
ternet Co	nection Sta	tus	Connected								
ternal IP	Address		192.168.1.19								
xternal IP	Address		72.106.106.118			Add Hou	150				
utomatic f	Port Forward	ing	Automatic								
ort			10034								
lobile Sen	er Status		Running		IP Address						
sed Disk	space		2087 MB / 3523 MB (59	9.2%)							
otal CPU	Julization		17.3%	192.168.1.123							
rocoss M	TO Utilization		10%								
ast Interna	IP Change	Time	me 4/13/2017 9:08:08 AM House Number								
ast Extern	al IP Change	Time	4/13/2017 9:08:05 AM		2						
xternal IP	Server Upda	ite Time	4/13/2017 9:08:44 AM	3							
ast Webpa	ige Update 1	īme	4/17/2017 12:45:38 PM	17 12:45:38 PM House Type							
		Local IP Ac	dress(es)			СТЗ			0		
nterface	Speed	IP Address	MAC Address	Edit		Submi	t				
,	1 Mbps	127.0.0.1		۲		22					
thO	1 Mbps	192.168.1.19	04A316ECAAB2	0							
sb0	1 Mbps	192.168.7.2	04A316ECAAB4	0					House	5	
							House	Name	IP Address	State	Delete
an0	1 Mbps			0			House	1	192.168.1.30	Connected	٢
an1	1 Mbps						House	2	192.168.1.130	Connected	۲
				Hous	e 3 has now b	een added —	House	3	192.168.1.123	Connected	0

4. Check to see if the Mobile Server is connected to the Internet.

	Cho	re-Tronics Mo	bile Serve	r Support		
Disabled	5 Sec.	10 Sec.	30 Sec.	1 Min.	5 Min.	
		System I	nformation	n		
Mobile Serve Internet Conr Internal IP A External IP A Automatic Pc Port Mobile Serve Used Disk Sg Total CPU Ut Process Men Last Internal Last External IP S Last Webpag	er Version nection Stat ddress uddress ort Forwardi or Status bace illization J Utilization nory Usage IP Change IP Change eerver Upda ge Update T	us ng Time Time te Time te Time ime	2.0.0.11 Connet 192.16/ 72.106. Autom 10034 Runnin 2087 M 17.3% 181.45 181.45 4/13/20 4/13/20 4/13/20	061 cted 3.1.19 106.118 atic g B / 3523 M MB 17 9:08:08 17 9:08:05 17 9:08:44 17 12:45:31	B (59.2%) AM AM AM 8 PM	
		Local IP	Address(e:	\$)		
Interface	Speed	IP Address	M	AC Addres	s	Edit
lo	1 Mbps	127.0.0.1				0
eth0	1 Mbps	192.168.1.1	9 04	04A316ECAAB2		0
usb0	1 Mbps	192.168.7.2	04	A316ECAA	B4	0
can0	1 Mbps					0
can1	1 Mbps					0

Figure 7.Check Connection

Testing the connection to the Mobile App to the Server.

1. Open the Mobile App on a mobile device and enter your user name and password. Select Login.

Note: The mobile server/account must be registered with the authentication server by selecting the Register button or by going to the following address:

https:/	//aut	hentica	tionser	verapp.	azurewe	bsites.	.net/	Account/	Login
---------	-------	---------	---------	---------	---------	---------	-------	----------	-------

T ⊕ 63° ⊕ ☎ 61°			=	Current Condi													
Login				TUNNEL													
				CHECK ALARM	S												
				Set Temp	63.0 °F												
				Avg Temp	78.5 °F												
			ст наў ат	Switch Status													
Authentication Server:		Authentication Server:	24	Graph													
Username															SP	Static Pressure	0.31 In
		boydairman	RH	House RH	101 %												
Password			•	Air Speed	0 ft/min												
Connect Directly To Mobile Server								Connect Directly To Mabile Server	l -	Outside Temp	78.5 °F						
LOGIN REGISTER		Connect Directly to Mobile Server	l -	Spare Temp	78.5 °F												
		LOGIN REGISTER		CO2 Sensor	5,001 ppm												
			2	20 Apr 2017 06:54	Age 68												

Figure 8.User Name/Password Mobile Server

Registering the Mobile server with a Smart phone

- 1. All equipment in the network must be connected and the Chore-Tronic's® Mobile app must be installed on your mobile device. Navigate to the Apple app store or Google play store to download the Chore-Tronic's Mobile app.
- 2. The mobile server must be connected to the Internet.
- 3. Open the Mobile app on your phone.
- 4. Select the "Register" button.



₽ ₽ ⊕ • ♠ ₽ ₦*	□ ⊕ ■ ∅ ● 𝔅 ¹ \$ ∞0. 53% ■ 6.47 PM. ← ■ 𝔅 ● 𝔅 ¹ Register
	Note: Make sure that your mobile server is running and connected to the internet. Email
Authentication Server:	Full Name(Optional)
Username Password	Password
Connect Directly To Mobile Server	Verify Password
LOGIN REGISTER	Mobile Server Serial No.

1.181

5. Enter the information needed. Select "Register".

Note: Username must have at least 8 characters, Password must have at least 8 characters with one capital, The Mobile Server Serial number is the GUID.



6. Open the Mobile app and enter your Username and Password. Select "Login".



Adding the Chore-Tronics® 3 (CT3) Controls

1. After the site opens select "Add House". Enter the IP of the first House you want listed. Continue to add your houses until all are added. This example shows 2 added houses. House 1 and House 2. Note: The house name comes from the CT3 control.

Note: The house name comes from the CT3 control.



1. Select the House icon in the upper right corner to view a list of all houses. Select the house you want to view.

70 00	፼83° ≥ 🐟 🕸 📽 🛱 🖌	171% 🖹 12:2	23 PM
=	louse Manag	<u>A</u>	\$
RM5	AD	D HOUSE	
House 1			
House 3	HOWSE 1	70	

Navigation from Screen to Screen

1. Select the Menu Icon \equiv in the upper left to view the Screen navigation menu.

Note: Logout after done and close the app.

• 87° •	ມ⇔ສ ⊀⊀≒∄./	73% 🖹 4:19 PM	⊕ 75° ⋭ \$	\$ ¶? ∡∥ 98% 🖿 7:56 AM	A 70° •	●⊕15°► \$\%.	98% 🖬 7:56 AM	🖬 🗛 70° 🕼	⊕ 75°	∦ ୱମ୍ମ	8:03 AM
	Current Condit	▲ 🀲 🗏	Current Cond	lit 🛕 爹	= •	Current Condit	1	=	Ventilation	Set 🛕	\$
	POWER							t 🗳	Set Temp Timer		
	CHECK ALARMS		Alarms			Ventilation Settings			Static Procesure		
	Set Temp	85.6 °F CC	Current Conditions		N.Y.		1 °F	SP	Static Flessure		
-	Avg Temp	75.8 °F		1 °F	\$	Curves	1 °F	***	Cool Pad		
	Switch Status	I.	Output & Temperatures		B y	Management		-86-	Cool		
24	Graph		Ventilation Settings					2.45			
· (SP)	Static Pressure	0.02 In	Curves	2 In	\bigcirc	Clocks	2 In	-	Air Speed/ Min Tun F	ans	
1	Outside Temp	75.8 °F	Guilea	9 °F	B	Programs	9 °F				
	Water	0 gal	Management	al	Th.	History	al				
Ö	Run Times	\bigcirc	Clocks		الحنصا						
						Manage Houses					
			Programs	_	õ	Lorout					
	15 Aug 2017 16:16	Age 4		5		Logout	5				





MT2471A

Parts Listing



Item	Part No	Description
1	42853-5	Mobile Server Box
2	42851	Short 4 x 6 Box Lid
3	42854	Gasket
4	42849	Short Screw
5	56074	Mobil Server Plate
6	13019	#8 x .375 Screw
7	56073	Mobile Server Board
8	56243	.5" Lock in Place Standoff
9	51873	USB CT3 External Port

Item	Part No	Description
10	51852	USB CT3 External Port Cap
11	55397	Ethernet External Port
12	23779	Liquid Tight 1/2" Connector
13	3357	1/2" Conduit Lock Nut
14	54364	24" Ethernet Cable
15	56216	Chore-Tronics Mobile Server USB Cable
16	2529-1178	Mobile Server Decal
17	51297	5V Power Supply



MADE TO WORK.

BUILT TO LAST.[®]

Revisions to this Manual

Page No. Description of Change New Manual **ECO** 33235

Contact your nearby Chore-Time distributor or representative for additional parts and information.

CTB, Inc. PO Box 2000 Milford, Indiana 46542-2000 USA Phone (574) 658-4101 Fax (877) 730-8825 E-mail: poultry@choretime.com Internet: www.choretimepoultry.com