CATALYST®
Whole House Control

Powerful Poultry House Performance is at Your Fingertips

CHORE-TIME®

Every. Day. PERFORMANCE.™



The CATALYST® Control is part of the complete line of poultry production solutions available from your independent Chore-Time distributor.

Take full control of your poultry house climate, feeding, and drinking systems from the convenience of your computer or mobile device with Chore-Time's CATALYST® Whole House Control combined with the CHORE-TRONICS® Mobile App.

CATALYST® Whole House Control
Delivers Performance Information Easier

CATALYST® Control Features

The Chore-Time's CATALYST® Control features a touchscreen display with a high resolution for a sharp, clear image. The 10.1-inch (257-mm) screen features a user interface, animated graphics, clearer reports, and display icons.

- Automated Updates for software and servers when connected to the internet.
- Designed with future software updates in mind to easily add future functionality, bringing more features and perks.
- Access to CATALYST® systems from your phone or computer.
- Real-time reporting on the mobile app and online.
- Connects to the Mobile Server via the Mobile app.
- Real-time monitoring for temperature, feed levels, drinking systems, & more.
- In-depth reports with updated visuals and graphs.
- Server support tools for debugging, troubleshooting, and more.
- Easier to read dark screen mode.
- Multiple built-in language options.
- USB port for updating and mouse control.
- Exterior ethernet port.
- CYNERGY READY™ for farm-to-fork data collection using CTB's CYNERGY™ Data Intelligence Service.
- Ability to collect and monitor key data points with the CYNERGY® Poultry Data Platform and CYNERGY Dashboard.



Software features you've come to expect from Chore-Time controls plus:

Multiple Variable Speed Fans Control.

- Gain all variable speed control for the entire house. Chore-Time's CATALYST® Control has full house control for variable speed fans.
- Control up to 30 variable speed fans in both Power and Tunnel modes.
- Fans can change speed in both Power and Tunnel modes.
- Output and temperature screen length reduced.
- Touch Screen that works through the plastic door.

Gain Precise Control of Your House Ventilation

- Monitor house temperature in sections.
- Manage fan speeds by individual units or in sections.
- Set minimum and maximum airflow.
- Provides a stable house environment.
- Keep consistent temps throughout the entire house.
- Save money on energy with precise cooling.
- Provide more precise extra fans during feeding.

CATALYST® Control connects to the Mobile Server via the Mobile app. Uses the same relay box, hardware, IO Board(s) and sensors as the CHORE-TRONICS® 3.





Precise multi-action control



CHORE-TIME®

Every. Day. PERFORMANCE.™

User Interface Settings Choices

- Dark Mode - Makes it easier to read screens in certain lighting conditions.
- Touch Screen - Allows for: Zoom in or out, Scroll and Swipe.
- Alarm Status icons - Color coded.
- Outside Temp and RH Failure alarms.
- Moisture and Heat removal calculation.
- Graphics and Graphs updated.
- Time Clocks - The Settings are displayed in a Clock format instead of a line format. All Time clocks can be set up to a maximum of 24 events.
- Water Increment Table - Can show hours water consumption for up to 21 days.
- Remote PC Connection - You have the ability to connect to the CATALYST® via your PC that is connected to the local network. The PC connection is identical as being at the CATALYST® Control.
- CATALYST® Updating - Remote updating available.



More User Interface settings choices.

We Speak Your Language

The CATALYST® Whole House Control comes with multiple built-in languages to improve communication and efficiency. Instantly switch the display text between them. More languages are always being added.

Support Server Tools

CATALYST® Whole House Control makes gathering troubleshooting information easier, along with other critical control performance information.

- Debugging tool - Download Debug information that allows us to support the control if an update goes wrong.
- Service Tools - Allows the user to download the log for troubleshooting via USB.
- Control status information - Information available about the status of the control.
- Updates - Three ways to update. Update with USB, update remotely, or add update file via drag and drop. CATALYST® Control update kits allow you to take your existing CHORE-TRONICS® 2 or CHORE-TRONICS® 3 controls and update them to the CATALYST® platform without removing the main enclosure box or relay boxes.
- Restart CATALYST® Control button.



Dark Mode makes it easier to read screens in certain lighting conditions and User preferences.

CATALYST® House Specific Controls

Controls Designed Around Your Operation



CATALYST® OVO™ Control for Eggs

The **Chore-Time CATALYST® OVO™ Control** offers all the software features of the standard CATALYST control, along with additional features designed specifically for many types of layer houses. Gain full control of your house climate, feeding, and drinking systems with the Chore-Time CATALYST OVO.

- Up to 8 independent Light Clocks.
- Up to 2 light dimmers can be controlled by each Light Clock.
- Neutral Pressure ExactAir™ Ventilation.
- Outdoor Access Door Control.
- Dedicated Nest Clock.
- Up to 20 Egg counters can be connected.
- Track Egg Collector Runtime.
- Ability to control temperature and humidity in Egg Room.
- Track Manure Belt Runtime.



CATALYST® Breeder Control for Broiler Breeders and Pullets



The **Chore-Time CATALYST® Breeder Control** offers all the software features of the standard CATALYST® control, along with additional features designed specifically for Broiler Breeder and Pullet houses.

- Ability to feed up to 6 different Presets.
- Works with Load cells, Balance Beam or Dump Scale systems.
- Flexible 2-week feed schedule with optional 3rd week.
- Up to 6 Feed Winch clocks for presentation feeding.
- Ability to run extra Tunnel Fans during the feeding period.
- Egg counts can either be entered manually or by optional Egg Counter.
- Ability to control temperature and humidity in the Egg Room.
- Hourly Water Usage that is available in either table or graphical formats.

CYNERGY READY™ for farm-to-fork data collection using CTB's CYNERGY® Data Integration (shown at left). Gain full control of your house climate, feeding, and drinking systems with the Chore-Time CATALYST® Controls.

CHORE-TIME®

Every. Day. PERFORMANCE.™

www.choretime.com

Chore-Time is a division of CTB, Inc.
A Berkshire Hathaway Company

Find your authorized independent distributor at choretime.com/distributor

Chore-Time
Milford, Indiana USA
info@choretime.com

Chore-Time Europe B.V.
Panningen, Netherlands
info@choretime.nl

Chore-Time Europe Sp. z o.o.
Strykowo, Poland
info@choretime.pl

Chore-Time Ede B.V.
Ede, Netherlands
info@choretime.nl

CT-2704/202611